

opal contracts  
innovative elegant dependable

Olympian 5000  
insect screens



# Olympian 5000

## insect screens



### Application

With over 15 years experience in developing our products there isn't anything we cannot screen.

After listening to our customers needs we have, in our opinion, the most versatile, robust and elegant screens available.

All of our products are manufactured using the highest grade aluminium, and finished using powder coatings electrostatically applied. Attention to detail from the manufacturing process right through to the matching accessories and profiles ensures complete customer satisfaction.

Whatever your needs, you will receive the first class service all of our clients have come to expect.

All Olympian insect screens are carefully built to exacting standards, giving years of trouble-free service.

The superior design features and quality components enable them to be confidently specified for the most demanding environments.

The provision of insect screens at door and window openings is a legal requirement in areas where food is prepared for public consumption, such as restaurants, works canteens, schools, hospitals and all public buildings.

The Olympian screens comply with the relevant Health and Safety regulations.

The PVC-coated glass fibre mesh is rot-proof and flame-retardant.

The screens are unobtrusive, with simple and attractive detailing and quality components.

### Maintenance

All Olympian insect screens are designed to require low maintenance. The components and mechanisms are made from durable materials and will not corrode in normal use.



## Sliding screens

- Single or twin screen options
- Horizontal and vertical sliding available
- Compliant with food safety regulations
- Designed to fit in window reveal



## Fixed / Hinged screens

- Compliant with food safety regulations
- Cost effective solution
- Zero maintenance



## Roller screens / Strip curtains

- Horizontal and vertical sliding available
- Compliant with food safety regulations
- Designed to fit in window reveal



## Doors

- Compliant with food safety regulations
- A polyester powder-coated heavy duty aluminium framed door
- All doors can be supplied as single or double and we are able to provide double action doors that open inwards and outwards.
- Additional 'kick plates' can be added for protection if required



# Olympian 5000 insect screens

## Specifications

| Screen Type    | Minimum Width (mm) | Maximum Width (mm) | Minimum Drop (mm) | Maximum Drop (mm) |
|----------------|--------------------|--------------------|-------------------|-------------------|
| Sliding Screen | 600                | 2400               | 400               | 2000              |
| Hinged Screen  | 500                | 1800               | 600               | 1800              |
| Fixed Screen   | 400                | 1800               | 400               | 1800              |
| Roller Screen  | 400                | 1800               | 400               | 1800              |
| Door Screen    | 700                | 1300               | 1700              | 2300              |

Frame: White powder-coated aluminium.


Mesh: Fibreglass 18 x 16\*

Standard mesh supplied. Mesh is rot proof and fire proof with long life expectancy.

Aluminium 18 x 16\*

Used in commercial applications where a metal mesh is required. Withstands steam cleaning for a longer period than fibreglass.

\*Strands per inch.



**Opal Contracts (UK) Limited**  
Units 2-4 Cato Street North,  
Nechells, Birmingham,  
B7 4TE  
t: 0121 333 5507  
f: 0121 359 7648  
info@opalcontracts.co.uk  
www.opalcontracts.co.uk